



Commonwealth of Massachusetts
Executive Office of Energy & Environmental Affairs

Department of Environmental Protection

Northeast Regional Office • 205B Lowell Street, Wilmington MA 01887 • 978-694-3200

DEVAL L. PATRICK
Governor

RICHARD K. SULLIVAN JR.
Secretary

KENNETH L. KIMMELL
Commissioner

Individual Groundwater Discharge Permit Fact Sheet

I. APPLICANT, FACILITY INFORMATION, and DISCHARGE LOCATION

Fred Knight, Chairman
Wayland Wastewater Management District Commission (WWDC)
41 Cochituate Road
Wayland, MA 01778

Name and Address of Facility where discharge occurs:

Wayland Town Office Playing Fields
41 Cochituate Road
Wayland, MA

Discharge Information:

Groundwater Discharge Permit Number: 944-0

The Groundwater Discharge Permit will allow the applicant to discharge 17,000 gallons per day of treated sanitary wastewater from WWDC's existing off site municipal wastewater treatment plant (WWTP) which is located at 430 Boston Post Road, to groundwaters of the Commonwealth. The WWTP accepts flow from a combination of residential and commercial uses in sewerred areas in the Town of Wayland. **The location of the groundwater discharge does not lie within any MassDEP designated nitrogen sensitive areas.**

II. LIMITATIONS AND CONDITIONS

Discharge permit limitations are as listed in the ground water permit and are in conformance with 314 CMR 5.00, the Groundwater Discharge Permit Program.

III. PERMIT BASIS AND EXPLANATION OF EFFLUENT LIMITATIONS

An Individual Groundwater Discharge permit is required for this discharge in accordance with the Massachusetts Clean Water Act, M.G.L. c. 21, s. 26-53 and 314 CMR 5.03.

Effluent limitations are based upon the location of the discharge, the level of treatment, consideration of human health protection criteria and protection of the groundwaters of the Commonwealth.

IV. COMMENT PERIOD, HEARING REQUESTS, AND PROCEDURES FOR FINAL DECISIONS

The public comment period for this permit is thirty (30) days following public notice in a newspaper of general circulation in the area of the facility or discharge.

Requests for an adjudicatory hearing must be submitted within thirty (30) days of the issuance/denial of the permit, by any person who is aggrieved by such issuance/denial.

A final decision on the issuance/denial of this permit will be made after the public notice period, and review of any comments received during this period.

V. STATE CONTACT INFORMATION

Additional information concerning the draft permit may be obtained between the hours of 9:00 a.m. and 5:00 p.m. Monday through Friday excluding holidays, from:

Gregory Tomaszewski
MassDEP/NERO
(978-694-3242)
Gregory.tomaszewski@state.ma.us

Rachel Freed Acting Deputy Regional Director, NERO

Date: 10/2/2013